

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
ALBUMIN	3042	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
ALP	3030	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
ALLERGENS, SPECIFIC IGE	9100 AND 9300 SERIES	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	1.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN, EARLY CHILDHOOD PANEL	9384	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	5.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN, FOOD PANEL	9385	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	5.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN, MOLD PANEL	9395	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	5.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN, RESPIRATORY PANEL	9386	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	5.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN COMPONENT, EGG	9414	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	1.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN COMPONENT, MILK	9415	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	1.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALLERGEN COMPONENT, PEANUT	9179	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	1.0 ML	7 DAYS REFRIG	SERUM, SST		See website for specific allergens included. www.thepathlab.com
ALPHA-FETOPROTEIN (AFP)	2024	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	NA HEP	
ALT	3028	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
AMMONIA	3116	CHEMISTRY 1284	DAILY	1.0 ML	IMMEDIATELY	EDTA PLASMA		FASTING. SPECIMEN MUST BE COLLECTED AT MAIN LAB AND ANALYSIS PERFORMED WITHIN 30 MINUTES OF VENIPUNCTURE.
AMYLASE	3117	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
ANA IFA WITH REFLEX TO TITER / PATTERN	8600	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
ANA IFA WITH REFLEX TO TITER / PATTERN / PROFILE	8603	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
ANA IFA TITER / PATTERN	8604	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
ANA PROFILE	8407	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG/ 14 DAYS FROZEN	SERUM, SST		
ANA WITH PROFILE	8608	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
ANEMIA PROFILE	4099	CHEMISTRY 1284	DAILY	SEE EACH INDIVIDUAL TEST	24 HRS REFRIG TO RESULT ENTIRE PANEL			PROFILE CONSISTS OF B12, FOLATE, FERRITIN, RETIC PROFILE, CBC, IRON, TIBC
ANTIBODY SCREEN	1672	HEMATOLOGY 1285	BATCHED M-F	1.0 ML	72 HRS REFRIG	WHOLE BLOOD EDTA AND PLAIN RED TOP		

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
ARTHROPOD IDENTIFICATION	8136	MICROBIOLOGY 1286	M-F		NO STABILITY REQUIREMENTS	LEAK PROOF, SEALED CONTAINER		
ASO STREPTOZYME	6034	HEMATOLOGY 1285	DAILY	0.5 ML	8 DAYS REFRIG	SERUM, SST		
AST	3026	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
AUTO AB, DS DNA	8401	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	5.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, JO-1	8408	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	6.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, SCL-70	8406	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	3.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, SMITH (SM)	8405	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	4.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, SM/RNP	8402	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	7.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, SS-A	8403	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	1.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
AUTO AB, SS-B	8404	VIROLOGY / SPECIAL CHEM. 1287	BATCHED M-F	2.0 ML	7 DAYS REFRIG, 14 DAYS FROZEN	SERUM, SST		
B12	2052	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	NA HEP	
B12 AND FOLATE	2160	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST		
BILIRUBIN, DIRECT	3046	CHEMISTRY 1284	DAILY	1.0 ML	PREFERRED IMMEDIATELY, OR REFRIG UP TO 24 HRS	SERUM, SST	LI HEP PLASMA	PROTECT FROM LIGHT
BILIRUBIN, T. D. I.	3702	CHEMISTRY 1284	DAILY	0.5 ML	PREFERRED IMMEDIATELY, OR REFRIG UP TO 24 HRS	SERUM, SST	LI HEP PLASMA	PROTECT FROM LIGHT
BILIRUBIN TOTAL	3044	CHEMISTRY 1284	DAILY	1.0 ML	PREFERRED IMMEDIATELY, OR REFRIG UP TO 24 HRS	SERUM, SST	LI HEP PLASMA	PROTECT FROM LIGHT
BIOFIRE GI-FILM ARRAY, STOOL	JH100	SENDOUTS 1278	DAILY SENT TO JALH LAB		PLACE IN CARY BLAIR WITHIN 15 MINS. RT OR REFRIG FOR 4 DAYS AFTER PLACED IN MEDIA	CARY BLAIR (MUST FILL TO LINE ON COLLECTION MEDIA)		
BLOOD GROUP AND TYPE	1668	HEMATOLOGY 1285	BATCHED M-F	1.0 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA AND PLAIN RED TOP		THIS TEST REQUIRES TWO DIFFERENT TUBES OF BLOOD
BMP	3716	CHEMISTRY 1284	DAILY	2.0 ML	3 DAYS TIGHTLY SEALED REFRIG	SERUM, SST	LI HEP PLASMA	
BNP	3560	CHEMISTRY 1284	DAILY	1.0 ML	WHOLE BLD - 7 HRS RT OR REFRIG. FROZEN PLASMA - 24 HRS.	EDTA WHOLE BLOOD		
BUN	3022	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
BV PROFILE, SCREENING	8483	VIROLOGY / SPECIAL CHEM. 1287	M-F		30 DAYS URINE/ 60 DAYS SWAB	SWAB OR URINE		

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
BV PROFILE, SYMPTOMATIC	8478P	VIROLOGY / SPECIAL CHEM. 1287	M-F		30 DAYS URINE/ 60 DAYS SWAB	SWAB OR URINE		
C. DIFF TOXIN B GENE, MOLECULAR	8337	MICROBIOLOGY 1286	BATCHED M-F	25 UL	24 HRS ROOM TEMP, OR 5 DAYS REFRIG	STOOL		
C3	3223	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
C4	3224	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CA 125	2020	CHEMISTRY 1284	DAILY	1.0 ML	5 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CALCIUM	3034	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CALCIUM, 24 HR URINE	3814	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	4 DAYS REFRIG	24 HR URINE		NO ADDITIVE
CBC	4200	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
CBC, VET	3856	HEMATOLOGY 1285	DAILY	0.5 ML	8 HRS ROOM TEMP, 24 HRS REFRIG	WHOLE BLOOD EDTA		
CCP (CYCLIC CITRULLINATED PEPTIDE)	3301	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS REFRIG	SERUM, SST		
CEA	2030	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	NA HEP	
CELIAC, COMPREHENSIVE PROFILE	9207	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	2.0ML	1 YEAR FROZEN	SERUM,SST		
CELIAC, IGA TOTAL/TTG IGA	9208	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	2.0ML	1 YEAR FROZEN	SERUM,SST		
CELIAC, TTG IGA	9200	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	0.5ML	1 YEAR FROZEN	SERUM,SST		
CELIAC, TTG IGG	9201	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	0.5ML	1 YEAR FROZEN	SERUM,SST		
CELIAC, DEAMIDATED IGA	9202	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	0.5ML	1 YEAR FROZEN	SERUM,SST		
CELIAC, DEAMIDATED IGG	9203	SPECIAL IMMUNOLOGY 1224	BATCHED M-F	0.5ML	1 YEAR FROZEN	SERUM,SST		
CELL COUNT, FLUID	4210	HEMATOLOGY 1285	DAILY	0.5 ML	24 HRS REFRIG	FLUID		
CELL COUNT, CSF	4213	HEMATOLOGY 1285	DAILY	0.5ML	24 HRS REF	CSF		
CHLAMYDIA / GC, GENPROBE AMPLIFIED SWAB	8400	VIROLOGY / SPECIAL CHEM. 1287	M-F		60 DAYS REFRIG	APTIMA UNISEX SWAB (PURPLE); APTIMA VAGINAL SWAB (ORANGE)		MUST BE APTIMA SWAB ONLY
CHLAMYDIA / GC, GENPROBE AMPLIFIED URINE	8400	VIROLOGY / SPECIAL CHEM. 1287	M-F		30 DAYS REFRIG	URINE		MUST BE TRANSFERRED TO APTIMA URINE TRANSPORT WITHIN 24 HRS
CHLAMYDIA / GC, AMPLIFIED THIN PREP	8400	VIROLOGY / SPECIAL CHEM. 1287	M-F		3 MONTHS	THIN PREP		
CHLORIDE	3070	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CHLORIDE, 24 HR URINE	3204	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	6 DAYS REFRIG	24 HR URINE		NO ADDITIVE

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
CHOLESTEROL	3050	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	PER JOURNAL OF AMERICAN CARDIOLOGY (2018), FASTING IS NOT REQUIRED IN CERTAIN SITUATIONS. CONTACT PHYSICIAN FOR GUIDANCE. IF FASTING REQUESTED, 9-12 HOUR IS PREFERRED.
CK	3122	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CMP	3736	CHEMISTRY 1284	DAILY	2.0 ML	3 DAYS TIGHTLY SEALED REFRIG	SERUM, SST	LI HEP PLASMA	8 HOUR FASTING PREFERRED, BUT NOT REQUIRED. CONTACT PHYSICIAN FOR GUIDANCE.
CO2	3071	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS TIGHTLY SEALED REFRIG	SERUM, SST	LI HEP PLASMA	
CORTISOL	2033	CHEMISTRY 1284	DAILY	1.0 ML	5 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CREATININE CLEARANCE	3755	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	6 DAYS REFRIG	24 HR URINE AND SERUM, SST		NO ADDITIVE NEEDED. MUST COLLECT SERUM WITHIN 3 DAYS OF URINE COLLECTION
CREATININE	3024	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CREATININE, 24 HR URINE	3754	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	6 DAYS REFRIG	24 HR URINE		NO ADDITIVE
CREATININE, RANDOM URINE	3144	CHEMISTRY 1284	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE		
CRP HS	3043	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CRP INFLAMMATION	3992	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
CRYPTOSPORIDIUM, DNA	8504	MICROBIOLOGY 1286	BATCHED M-F	1.0 ml	48 HRS ROOM TEMP, OR 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
CRYSTALS, FLUID	4092	MICROBIOLOGY 1286	DAILY		ASAP	FLUID, BILE		
CULTURE	8020	MICROBIOLOGY 1286	DAILY		BBL CULTURE SWAB MAINTAINS VIABILITY 24-48 HRS	BBL CULTURE SWAB PLUS		FOR FASTIDIOUS ORGANISMS, 24 HRS (Ex: Neisseria gonorrhoeae and Strep pneumoniae)
CULTURE, AEROBIC ISOLATE	8022	MICROBIOLOGY 1286	DAILY		FRESH ISOLATE WITH 18-24 HR INCUBATION TIME	PURE ISOLATE SUBMITTED ON AGAR PLATE		
CULTURE, ANAEROBIC ISOLATE	8026	MICROBIOLOGY 1286	DAILY		PURE ISOLATE = 7 DAYS ANAEROBIC ENVIRONMENT. BLOOD CULTURE BOTTLE = 7 DAYS 37°C, OR ROOM TEMP.	PURE ISOLATE SUBMITTED ON AGAR PLATE IN ANAEROBIC CHAMBER, OR POSITIVE BLOOD CULTURE BOTTLE.		
CULTURE, ANAEROBIC SCREEN	8230	MICROBIOLOGY 1286	DAILY		24 HRS ROOM TEMP	BBL CULTURE SWAB PLUS		

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
CULTURE, BLOOD	8450	MICROBIOLOGY 1286	DAILY	5-10 ML FOR ADULT 2-4 ML FOR PEDI	PREFERRED ASAP	BLOOD IN BACT/ALERT BOTTLES		
CULTURE, FLUID / EXUDATE	8015	MICROBIOLOGY 1286	DAILY	.50 UL FOR FLUID/SWAB	24 HRS ROOM TEMP	FLUID, SWAB		
CULTURE, GC	8240	MICROBIOLOGY 1286	DAILY		2 HRS ROOM TEMP	CULTURE SWAB		
CULTURE, HOUSE	8464	MICROBIOLOGY 1286	DAILY		BBL CULTURE SWAB MAINTAINS VIABILITY 24-48 HRS	CULTURE SWAB		FOR FASTIDIOUS ORGANISMS 24 HRS (Ex: Neisseria gonorrhoeae and Strep pneumoniae)
CULTURE, SPUTUM	8466	MICROBIOLOGY 1286	DAILY	0.5 ML	24 HRS REFRIG	SPUTUM		
CULTURE, URINE	8010	MICROBIOLOGY 1286	DAILY	0.5ML	24 HRS REFRIG	URINE		
DEPAKOTE / DEPAKENE / VALPROIC ACID	1104	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	MUST REMAIN CAPPED. CANNOT PERFORM ADD-ON FOR THIS TEST
DAT (COOMB'S, DIRECT)	1676	HEMATOLOGY 1285	BATCHED M-F	1.0 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA		
DHEA SULFATE	2059	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
DIGOXIN	1106	CHEMISTRY 1284	DAILY	1.0 ML	24 HRS REFRIG	SERUM, SST	LI HEP PLASMA	MUST REMAIN CAPPED, draw at least 6 to 8 HRS after drug administration
DILANTIN	1090	CHEMISTRY 1284	DAILY	1.0 ML	4 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
DRUG SCREEN COLLECTION FEE	214	CHEMISTRY 1284	M-F			URINE		PERFORMED BY DOT CERTIFIED COLLECTORS. (THIS IS CHARGED WHEN TEST IS NOT PERFORMED BY THE PATH LAB AND IS SENT TO A REFERRAL LAB.)
DRUG SCREEN CONFIRMATION	3520C,3522C,3524 C, 3526C, 3528C, 3530C, 3532C, 3534C, 3540C, 3549C	CHEMISTRY 1284	M-F SENT TO A REFERENCE LAB			URINE		SEND TO ALERE TOXICOLOGY
DRUG SCREEN, DOT	363	CHEMISTRY 1284	M-F (COLLECTED BEFORE 2:00PM)	25.0 ML	REFRIG	URINE		COLLECTED ON SITE. SENT TO REFERENCE LAB FOR TESTING
DRUG SCREEN, NON-DOT (MAY INCLUDE ALCOHOL)	SEE SPECIAL INSTRUCTIONS	CHEMISTRY 1284	M-F	5.0 ML	3 DAYS REFRIG	URINE		WE OFFER MANY DIFFERENT PROFILES. PLEASE CALL RECEPTIONIST AT 337-439-3085 FOR MORE INFORMATION.
E2	2034	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
ELECTROLYTE PANEL	3768	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS TIGHTLY SEALED	SERUM, SST	LI HEP PLASMA	
ELECTROPHORESIS, HGB	1730	ELECTROPHORESIS 1224	BATCHED M-F	0.5 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA		POSITIVE HGB S WILL BE CONFIRMED BY PERFORMING CPT 85660. A AND F WILL BE SENT OFF FOR CONFIRMATION AND AN ADDITIONAL CHARGE, CPT 83021,85014,85018,85041

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
ELECTROPHORESIS, PROTEIN	1735	ELECTROPHORESIS 1224	BATCHED M-F	0.5 ML	7 DAYS REFRIG	SERUM, SST		
ENTAMOEBIA HISTOLYTICA, DNA	8505	MICROBIOLOGY 1286	BATCHED M-F	1.0 ml	48 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
ENTERIC PARASITE PANEL	8458	MICROBIOLOGY 1286	BATCHED M-F	1.0 ml	48 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
ENTEROTOXIGENIC E.COLI (ETEC), DNA	8476	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	24 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
ETHANOL / ALCOHOL, URINE	3551	CHEMISTRY 1284	M-F	2.0 ML	30 DAYS REFRIG	URINE		
ETHANOL / ALCOHOL, SERUM	3552	CHEMISTRY 1284	DAILY	2.0 ML	30 DAYS REFRIG	SERUM	LI HEP PLASMA	
EXTENDED ENTERIC BACTERIAL PANEL	8473	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	24 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO CARY-BLAIR TRANSPORT
FECAL LACTOFERRIN (WBC STOOL)	8285	MICROBIOLOGY 1286	BATCHED M-F	50 UL	2 WEEKS REFRIG OR ROOM TEMP	RANDOM STOOL COLLECTION		
FERRITIN	2036	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
FOLATE	2054	CHEMISTRY 1284	DAILY	1.0 ML	2 HRS ROOM TEMP, OR 2 DAYS REFRIG	SERUM, SST		PLEASE NOTE: SPECIMENS MUST BE ANALYZED OR REFRIG WITHIN 2 HRS OF COLLECTION.
FSH	2058	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
FUNGAL / MOLD ID	8025	MICROBIOLOGY 1286	M-F ONLY		ROOM TEMP, 37°C, OR 7 DAYS REFRIG	PURE ISOLATE SUBMITTED ON AGAR PLATE/SLANT		
GGTP	3124	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
GIARDIA LAMBLIA, DNA	8503	MICROBIOLOGY 1286	BATCHED M-F	1.0 ml	48 HRS ROOM TEMP, OR 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
GIARDIA / CRYPTOSPORIDIUM, DNA	8506	MICROBIOLOGY 1286	BATCHED M-F	1.0 ml	48 HRS ROOM TEMP, OR 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO 10% FORMALIN FIXATIVE DEVICE
GLUCOSE	3020	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	MAY ALSO BE COLLECTED IN A GRAY TOP SODIUM FLUORIDE. 8 HOUR FASTING PREFERRED, BUT NOT REQUIRED. CONTACT PHYSICIAN FOR GUIDANCE.
GLUCOSE, 1HR 50GM	3110	CHEMISTRY 1284	DAILY- SEE SPECIAL INSTRUCTIONS	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	PERFORMED SATURDAYS, BUT NOT AFTER 9:30AM

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
GLUCOSE, 2HR PP	3112	CHEMISTRY 1284	DAILY- SEE SPECIAL INSTRUCTIONS	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	MAY ALSO BE COLLECTED IN A GRAY TOP SODIUM FLUORIDE
GLUCOSE TOLERANCE, 2HR	3770	CHEMISTRY 1284	DAILY- SEE SPECIAL INSTRUCTIONS	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	SATURDAYS, MUST START BY 8:00AM
GLUCOSE TOLERANCE, 3HR	3772	CHEMISTRY 1284	DAILY- SEE SPECIAL INSTRUCTIONS	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	SATURDAYS, MUST START BY 8:00AM
GLUCOSE TOLERANCE, 4HR	3774	CHEMISTRY 1284	M-F ONLY	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	
GLUCOSE TOLERANCE, 5HR	3776	CHEMISTRY 1284	M-F ONLY	1.0 ML	3 DAYS REFRIG	SERUM, SST/PLASMA, SODIUM FLUORIDE	LI HEP PLASMA	
GRAM STAIN	8456	MICROBIOLOGY 1286	DAILY	25 UL	CULTURE SWAB - 48 HRS ROOM TEMP. OTHER SPECIMEN TYPE - 48 HRS REFRIG.	CULTURE SWAB		
GROUP B STREP (GBS), MOLECULAR	8280	MICROBIOLOGY 1286	BATCHED M-F		24-48 HRS ROOM TEMP	BBL CULTURE SWAB PLUS		VAGINAL / RECTAL SAMPLE COLLECTION
HCG, QUAL URINE	5084	HEMATOLOGY 1285	DAILY	5.0 ML	72 HRS REFRIG	URINE		
HCG, QUAL SERUM	2028	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HCG, QUANT SERUM	2038	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HDL	3054	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	PER JOURNAL OF AMERICAN CARDIOLOGY (2018), FASTING IS NOT REQUIRED IN CERTAIN SITUATIONS. CONTACT PHYSICIAN FOR GUIDANCE. IF FASTING REQUESTED, 9-12 HOUR IS PREFERRED.
HEMATOCRIT	4026	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
HEMOGLOBIN	4024	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
HEMOGLOBIN A1C	3010	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	WHOLE BLOOD EDTA		
HEMOGLOBIN & HEMATOCRIT (H/H)	4215	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
HEPATITIS ACUTE PROFILE	8730P	CHEMISTRY 1284	M-F	2.0 ML	5 DAYS REFRIG	SERUM,SST	SERUM ONLY TO AVOID CONFUSION	
HEPATITIS A VIRUS AB (HAVAB), IGM	8563	CHEMISTRY 1284	M-F	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HEPATITIS B SURFACE AB (HBSAB)	8620	CHEMISTRY 1284	M-F	1.0 ML	6 DAYS REFRIG	SERUM,SST	EDTA PLASMA	
HEPATITIS B SURFACE AB (HBSAB), QUANT	8621	CHEMISTRY 1284	M-F	1.0 ML	6 DASY REFRIG	SERUM,SST	EDTA PLASMA	

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
HEPATITIS B CORE AB, IGM	8561	CHEMISTRY 1284	M-F	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HEPATITIS B SURFACE AG (HBSAG)	8520	CHEMISTRY 1284	M-F	1.0 ML	5 DAYS REFRIG	SERUM,SST	NA HEP PLASMA OR EDTA PLASMA	
HEPATITIS AND HIV EXPOSURE PANEL	8725P	CHEMISTRY 1284	M-F	3.0 ML	5 DAYS REFRIG	SERUM,SST	SERUM ONLY TO AVOID CONFUSION	
HEPATITIS C VIRUS (HCV)	8640	CHEMISTRY 1284	M-F	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HERPES 1, IGG	8701	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST		
HERPES 2, IGG	8702	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST		
HERPES 1/2, IGG	8705	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST		
HERPES 1/2 DNA, AMPLIFIED	8290	VIROLOGY / SPECIAL CHEM. 1287	M-F		7 DAYS REFRIG	VIRAL TRANSPORT MEDIA: M4		CUTANEOUS (genital/penile, skin lesions) AND MUCOCUTANEOUS (anorectal, genital, nasal, ocular, oral, urethral)
HIV 1/2 AG AND AB, 4TH GENERATION	8704	CHEMISTRY 1284	M-F	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
HPV APTIMA ASSAY	HPV	VIROLOGY / SPECIAL CHEM. 1287	M-F		3 MONTHS ROOM TEMP	THIN PREP		
HPV GENOTYPE 16 18/45	HPVGENO	VIROLOGY / SPECIAL CHEM. 1287	Monday and Wednesday only		30 DAYS ROOM TEMP	THIN PREP		
IGA	3782	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IGE	2026	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IGG	3781	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IGM	3784	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IMMUNO ELECTROPHORESIS (IFE)	1740	ELECTROPHORESIS 1224	BATCHED 2 TO 3 TIMES A WEEK - NOT ON CERTAIN DAYS	2.0 ML	72 HRS REFRIG, THEN MUST BE FROZEN	SERUM,SST		
IMMUNOGLOBULINS	3778	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IMMATURE PLATELET FRACTION (IPF) COUNT	4097	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS REFRIG	WHOLE BLOOD EDTA		
INFLUENZA A & B	8507	MICROBIOLOGY 1286	DAILY		MUST BE TESTED WITHIN 1 HR OF COLLECTION	MUST USE SWABS FROM KIT		
INSULIN	2161	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
INSULIN HOURLY TESTS	SEE SPECIAL INSTRUCTIONS	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	MANY PROFILES AVAILABLE. PLEASE CONTACT LAB FOR MORE INFORMATION
INSULIN TOLERANCE TESTS	SEE SPECIAL INSTRUCTIONS	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	MANY PROFILES AVAILABLE. PLEASE CONTACT LAB FOR MORE INFORMATION
IRON	3126	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IRON AND TIBC	3798	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IRON BINDING CAPACITY	3128	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
IRON, TIBC, %TRANSFERRIN SAT	3796	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
KOH PREP	8191	MICROBIOLOGY 1286	DAILY	50 UL	SKIN, HAIR, NAILS = ROOM TEMP, OR 14 DAYS REFRIG. BODY FLUID, BRONCHIAL LAVAGE, SPUTUM = 72 HRS REFRIG. SWAB = ROOM TEMP, OR 72 HRS REFRIG.	SKIN SCRAPING, HAIR, NAILS, BODY FLUID, BRONCHIAL LAVAGE, SPUTUM, OR SWAB IN TRANSPORT MEDIA		
LDH	3032	CHEMISTRY 1284	DAILY	1.0 ML	4 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
LDL, DIRECT	3057	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
LH	2040	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
LIPASE	3118	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
LIPID PROFILE	3785	CHEMISTRY 1284	DAILY	2.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	PER JOURNAL OF AMERICAN CARDIOLOGY (2018), FASTING IS NOT REQUIRED IN CERTAIN SITUATIONS. CONTACT PHYSICIAN FOR GUIDANCE. IF FASTING REQUESTED, 9-12 HOUR IS PREFERRED.
LIVER / HEPATIC FUNCTION PANEL	3722	CHEMISTRY 1284	DAILY	2.0 ML	PREFERRED IMMEDIATELY, OR REFRIG 24 HRS	SERUM,SST	LI HEP PLASMA	
MAGNESIUM	3132	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
MANUAL DIFFERENTIAL	4230	HEMATOLOGY 1285	DAILY	2.5 ML	25 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
MICROALBUMIN QUANT	3901	CHEMISTRY 1284	DAILY	2.0 ML	6 DAYS REFRIG	RANDOM URINE		
MICROALBUMIN / CREATININE RATIO	3902	CHEMISTRY 1284	DAILY	2.0 ML	6 DAYS REFRIG	RANDOM URINE		
MONO	6020	HEMATOLOGY 1285	DAILY	0.5 ML	8 DAYS REFERIG	SERUM,SST		
MRSA SCREEN	8024	MICROBIOLOGY 1286	DAILY		FRESH ISOLATE WITH 18-24 HR INCUBATION TIME	PURE ISOLATE SUBMITTED ON AGAR PLATE		
MYCOPLASMA GENITALIUM	8485	VIROLOGY / SPECIAL CHEM. 1287	M-F		30 DAYS URINE/ 60 DAYS SWAB	SWAB OR URINE		
OCP, ROUTINE - FIRST SPECIMEN	8459	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	1 HR ROOM TEMP, 24 HRS REFRIG	STOOL		STABLE INDEFINITELY IF SUBMITTED IN ECOFIX VIAL
OCP, DIRECT - ADDITIONAL SPECIMEN	8461	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	1 HR ROOM TEMP, 24 HRS REFRIG	STOOL		STABLE INDEFINITELY IF SUBMITTED IN ECOFIX VIAL
PHOSPHORUS	3036	CHEMISTRY 1284	DAILY	1.0 ML	4 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
PHOSPHORUS, 24 HR URINE	3816	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	4 DAYS REFRIG	24 HOUR URINE		

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
PLATELET COUNT	4033	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
PLESIOMONAS SHIGELLOIDES, DNA	8474	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	24 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO CARY BLAIR TRANSPORT
POTASSIUM	3068	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
POTASSIUM, 24 HOUR URINE	3818	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	6 DAYS REFRIG	24 HOUR URINE		
POTASSIUM, RANDOM URINE	3146	CHEMISTRY 1284	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE		
PREALBUMIN	3041	CHEMISTRY 1284	DAILY	1.0ML	6 DAYS REFRIG	SERUM, SST		
PROGESTERONE	2046	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS	SERUM,SST	LI HEP PLASMA	
PROLACTIN	2042	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
PROTEIN, 24 HR	3794	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR URINE CONTAINER	6 DAYS REFRIG	24 HOUR URINE		
PROTEIN, RANDOM URINE	3212	CHEMISTRY 1284	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE		
PROTEIN, TOTAL	3040	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
PROTEIN / CREATININE, RANDOM URINE	3300	CHEMISTRY 1284	DAILY	5.0 ML	6 DAYS REFRIG	RANDOM URINE		
PROTIME	7100	HEMATOLOGY 1285	DAILY	PROPERLY FILLED TUBE	ROOM TEMP, 24 HRS SPUN OR UNSPUN (DO NOT OPEN TUBE). AFTER 24 HRS, MUST SPIN AND PULL OFF PLT POOR PLASMA - FREEZE AT -20°C FOR 2 WEEKS.	BLUE TOP TUBE, SODIUM CITRATE		FOR FROZEN PLASMA SPECIAL INSTRUCTIONS, SEE THE PLATELET POOR PLASMA PROCEDURE ON OUR WEBSITE.
PSA, DIAGNOSTIC	2021	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	LI HEP PLASMA, K2EDTA PLASMA	MAY BE USED FOR A MEDICARE PATIENT. NOT TO BE ORDERED WHEN DX CODE IS V76.44.
PSA, MC SCREENING	2022	CHEMISTRY 1284	DAILY	1.0 ML	3 DAYS REFRIG	SERUM,SST	LI HEP PLASMA, K2EDTA PLASMA	SHOULD ONLY BE USED WITH DX CODE V76.44
PTH	2041	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM,SST	K3EDTA PLASMA	
PTT	7028	HEMATOLOGY 1285	DAILY	PROPERLY FILLED TUBE	ROOM TEMP, 4 HRS SPUN OR UNSPUN (DO NOT OPEN TUBE). AFTER 4 HRS, MUST SPIN AND PULL OFF PLT POOR PLASMA - FREEZE AT -20°C FOR 2 WEEKS.	BLUE TOP TUBE, SODIUM CITRATE		FOR FROZEN PLASMA SPECIAL INSTRUCTIONS, SEE THE PLATELET POOR PLASMA PROCEDURE ON OUR WEBSITE.
RA FACTOR	6024	CHEMISTRY 1284	DAILY	0.5 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
RA QUANT	3993	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
RENAL PROFILE	3737	CHEMISTRY 1284	DAILY	2.0 ML	3 DAYS TIGHTLY SEALED	SERUM,SST	LI HEP PLASMA	
RETIC	4094	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
RETIC PANEL (RETIC COUNT, ABSOLUTE RETIC, IRF, RET-HE)	4095	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
RUBELLA SCREEN	1674	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
SARS CoV-2 RNA, RT PCR	8509	MICROBIOLOGY 1286	DAILY		72 HRS REFRIG	NASOPHARYNGEAL, OROPHARYNGEAL or NASAL SWAB IN UTM, VCM, VTM or SALINE		COLLECTION TIMES: M-F 8-3:30 SAT 8-10:30
SARS CoV-2 RNA, RT PCR, BD	8510	MICROBIOLOGY 1286	DAILY		72 HRS REFRIG	NASOPHARYNGEAL or OROPHARYNGEAL SWAB IN UTM, VCM, VTM or SALINE		COLLECTION TIMES: M-F 8-3:30 SAT 8-10:30
SARS-CoV-2 RNA RT PCR	8487	MICROBIOLOGY 1286	DAILY		72 HRS REF. FREEZE AT -70 IF LONGER	NASOPHARYNGEAL SWAB, OROPHARYNGEAL SWAB, NASAL SWAB, NASAL WASH/ASPIRATE IN VTM or SALINE		COLLECTION TIMES: M-F 8-3:30 SAT 8-10:30
SARS-CoV-2 RNA RT NAAT	8486	MICROBIOLOGY 1286	DAILY		72 HRS REFRIG	NASOPHARYNGEAL SWAB, OROPHARYNGEAL SWAB, NASAL SWAB IN SALINE		COLLECTION TIMES: M-F 8-3:30 SAT 8-10:30
SARS CoV-2 ANTIBODY, TOTAL	8706	CHEMISTRY 1284	M-F	1.0 ML	3 DAYS ROOM TEMP, 7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
SARS CoV-2 SPIKE (S) PROTEIN ANTIBODY	8707	CHEMISTRY 1284	M-F	1.0 ML	3 DAYS ROOM TEMP, 7 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
SCABIES (SKIN SCRAPING)	8137	MICROBIOLOGY 1286	M-F		NO STABILITY REQUIREMENTS	CAN BE COLLECTED AT PATH LAB OR SENT TO LAB ON SLIDES.		
SED RATE (ESR) ISED	4098	HEMATOLOGY 1285	DAILY	600 UL	24 HRS REFRIG, 4 HRS ROOM TEMP	WHOLE BLOOD EDTA		
SEMEN ANALYSIS, FERTILITY	6208	HEMATOLOGY 1285	DAILY	TOTAL EJACULATE	MUST RECEIVE IN LAB WITHIN 1 HR OF COLLECTION	SEMEN		MUST BE DROPPED OFF BETWEEN 8-10 OR 1-3 MONDAY THRU FRIDAY OR 8-10:30 ON SATURDAYS
SEMEN ANALYSIS, POST VASECTOMY	6210	HEMATOLOGY 1285	DAILY	TOTAL EJACULATE	MUST RECEIVE IN LAB WITHIN 1 HR OF COLLECTION	SEMEN		MUST BE DROPPED OFF BETWEEN 8-10 OR 1-3 MONDAY THRU FRIDAY OR 8-10:30 ON SATURDAYS

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
SEMEN WASHING FOR IUI	6212	HEMATOLOGY 1285	M-F	TOTAL EJACULATE	MUST RECEIVE IN LAB WITHIN 30 MINS OF COLLECTION	SEMEN		MUST BE SCHEDULED AT LEAST 1 DAY IN ADVANCE - CALL 337-312-1285.
SEX HORMONE BINDING GLOBULIN (SHBG)	3302	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
SICKLE CELL PREP	4120	HEMATOLOGY 1285	DAILY	0.5 ML	7 DAYS REFRIG	WHOLE BLOOD EDTA		HEMOGLOBIN ELECTROPHORESIS WILL BE PERFORMED ON ALL POSITIVES FOR AN ADDITIONAL CHARGE. CPT 83020
SODIUM	3065	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST		
SODIUM, 24 HR URINE	3820	CHEMISTRY 1284	DAILY	5.0 ML OR 24 HR UR CONTAINER	6 DAYS REFRIG	24 HOUR URINE		NO ADDITIVE
STOOL OCCULT BLOOD, IMMUNO	8460	MICROBIOLOGY 1286	M-F	0.5ML	STOOL = 7 DAYS REFRIG. STOOL CARD = 30 DAYS ROOM TEMP	STOOL OR STOOL CARD		
STREP A SCREEN, RAPID TEST	8276	MICROBIOLOGY 1286	DAILY		IF SWAB PROVIDED IN KIT, PERFORM ASAP. SWABS CAN BE HELD IN ANY CLEAN, DRY PLASTIC TUBE OR SLEEVE FOR 72 HRS ROOM TEMP OR REFRIG.	THROAT SWAB (RAYON TIPPED)		SEE STABILITY INSTRUCTIONS. DO NOT USE CALCIUM ALGINATE, COTTON TIPPED, OR WOODEN SHAFT SWABS. THE USE OF CHARCOAL OR AGAR MEDIUM IS NOT RECOMMENDED.
SYPHILIS, NONTREPONEMAL AB (RPR, RPR TITER)	6028, 6030	HEMATOLOGY 1285	DAILY	1.0 ML	5 DAYS REFRIG, OR FROZEN	SERUM, SST		
SYPHILIS, TREPONEMAL AB	8703	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST		
T3, UPTAKE	3076	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
T3, FREE	2004	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM SST	LI HEP PLASMA	
T3, TOTAL	3081	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM SST	LI HEP PLASMA	
T4, TOTAL	3078	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
T4, FREE	3075	CHEMISTRY 1284	DAILY	1.0 ML	2 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
TEGRETOL / CARBAMEZEPINE	1102	CHEMISTRY 1284	DAILY	1.0 ML	5 DAYS REFRIG	SERUM CAPPED	LI HEP PLASMA	MUST REMAIN CAPPED. CANNOT PERFORM ADD-ON FOR THIS TEST
TESTOSTERONE	2048	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
TESTOSTERONE, FREE	3303	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM SST	LI HEP PLASMA	
TESTOSTERONE, FREE BIOAVAILABLE	3306	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
TESTOSTERONE, FREE AND TOTAL, W/SHBG	3309	CHEMISTRY 1284	DAILY	1.0 ML	7 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	
THYROID PANEL	3824	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM, SST	LI HEP PLASMA	

TEST NAME	TEST CODE	DEPARTMENT / EXT	TESTING SCHEDULE	MINIMUM SPECIMEN NEEDED	SPECIMEN STABILITY	SPECIMEN TYPE	ALTERNATIVE SPECIMEN TYPE	SPECIAL INSTRUCTIONS
TRICHOMONAS, GENPROBE APTIMA AMPLIFIED	8194	VIROLOGY / SPECIAL CHEM. 1287	M-F		SWAB = 60 DAYS REFRIG URINE = 30 DAYS REFRIG THIN PREP = 3 MONTHS	APTIMA UNISEX SWAB (PURPLE) ; APTIMA VAGINAL SWAB (ORANGE) ; URINE; THIN PREP		
TRIGLYCERIDES	3052	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	PER JOURNAL OF AMERICAN CARDIOLOGY (2018), FASTING IS NOT REQUIRED IN CERTAIN SITUATIONS. CONTACT PHYSICIAN FOR GUIDANCE. IF FASTING REQUESTED, 9-12 HOUR IS PREFERRED.
TSH	2050	CHEMISTRY 1284	DAILY	1.0 ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
TSH WITH REFLEX TO FREE T4	2050R	CHEMISTRY 1284	DAILY	1.0ML	6 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
URIC ACID	3038	CHEMISTRY 1284	DAILY	1.0 ML	5 DAYS REFRIG	SERUM,SST	LI HEP PLASMA	
URINALYSIS	5200, 5203, 5204, 5205, 5206	HEMATOLOGY 1285	DAILY	10 ML	2 HRS ROOM TEMP, 24 HRS REFRIG	URINE		
URINALYSIS WITH REFLEX TO CULTURE	5200R	HEMATOLOGY 1285	DAILY	10 ML	2 HRS ROOM TEMP, 24 HRS REFRIG	URINE		
VAGINAL PANEL, DNA	8478	MICROBIOLOGY 1286	BATCHED M-F		8 DAYS ROOM TEMP, 14 DAYS REFRIG	VAGINAL SWAB	IF SUBMITTED IN PLASTIC SHEATH, SPECIMEN STABILITY IS 2 HRS	VAGINAL SWAB IN BD MAX UVE SAMPLE BUFFER TUBE
VIBRIO SPECIES, DNA	8475	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	24 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO CARY BLAIR TRANSPORT
VITAMIN D	8700	CHEMISTRY 1284	DAILY	1.0 ML	4 DAYS REFRIG, THEN FROZEN	SERUM,SST	LI HEP PLASMA	
WBC COUNT ONLY	4236	HEMATOLOGY 1285	DAILY	2.5 ML	8 HRS ROOM TEMP, 24 hrs Refrig	WHOLE BLOOD EDTA		
WBC WITH DIFF	4235	HEMATOLOGY 1285	DAILY	2.5 ML	24 HRS ROOM TEMP, 48 HRS REFRIG	WHOLE BLOOD EDTA		
YERSENIA ENTEROCOLITICA, DNA	8477	MICROBIOLOGY 1286	BATCHED M-F	1.0 ML	24 HRS ROOM TEMP, 5 DAYS REFRIG	STOOL		TRANSFER STOOL TO A DRY, CLEAN CONTAINER OR INTO CARY BLAIR TRANSPORT

TROUGH levels: draw immediately before next dose of drug.	PEAK levels: draw 15-30 MINS after IV administration. draw 1-2 HRS after IM administration. draw 1-2 HRS after oral administration.
---	---

Testing Schedule Legend	
DAILY	Monday - Saturday, tested once received
M-F	Monday - Friday, tested once received
BATCHED M-F	Monday - Friday, tested only certain times of the day